


CIDE-BET

Ready-To-Use Aerosol


Hospital Disinfectant • Foaming Germicidal Cleaner



*This easy-to-use foaming germicidal detergent clings, cleans, disinfects and deodorizes in one quick operation. **Its quaternary formulation features residual activity that controls germs for up to five days after surface is cleaned. A Hospital Type disinfectant, this product kills a broad range of microorganisms including staph, salmonella and pseudomonas. Virucidal against HIV-1 (AIDS Virus) and Herpes Simplex 1 & 2. Effective fungicidal activity against pathogenic fungi, mold and mildew. Powerful detergent action quickly removes a wide variety of soils, and will not harm most surfaces. This product destroys odors at their source leaving a fresh and clean fragrance behind.*

USES

- Bathrooms
- Bathtubs
- Floors
- Hospitals
- Institutions
- Locker Rooms
- Nursing Homes
- Shower Stalls
- Sinks
- Tabletops
- Walls



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. When used as directed, this germicidal cleaner demonstrates effective disinfection against *Staphylococcus aureus*, *Salmonella choleraesuis*, and *Pseudomonas aeruginosa*, thus meeting requirements for hospital use. Efficacy tests have demonstrated that this germicidal cleaner is an effective one-step cleaner disinfectant in the presence of organic soil (5% blood serum). The product is fungicidal against Pathogenic fungi (*T. mentagrophytes*) when used as directed on hard surfaces found in the bathroom, shower stall, and locker room, or other clean, hard, nonporous surfaces commonly contacted by bare feet. **MOLD AND MILDEW/STAT:** This product prevents and controls mold and mildew and the odors they cause on hard, nonporous, inanimate surfaces. This germicidal cleaner has been designed specifically for institutional cleaning and disinfecting in nursing homes, hospitals, and institutions. **DISINFECTION, DEODORIZATION, AND CLEANING:** To disinfect hard, nonporous surfaces (such as bathroom tiles, walls, shower stalls, sinks, and bathtubs), proceed as indicated below: (1) Shake can before using. (2) Hold six to eight inches from surface to be treated. (3) Spray area until it is covered with a white foam. Allow foam to penetrate and remain wet for 10 minutes. No scrubbing necessary. (4) Wipe off with a clean cloth, mop, or sponge. 360° valve allows spray in any direction. Pre-clean all surfaces to be disinfected. **KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS). **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS virus) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use disposable latex gloves, gowns, masks, or eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **CONTACT TIME:** Allow surface to remain wet for 10 minutes. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **MILDEW/STAT:** To control mold and mildew on pre-cleaned, hard, nonporous surfaces (such as floors, walls, table tops), spray the surfaces to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears. ***VIRUCIDAL PERFORMANCE:** This product was evaluated and found to be effective against Herpes Simplex Type 1 (virus that causes cold sores) and Herpes Simplex Type 2 (virus that causes genital herpes) on pre-cleaned, hard, nonporous, inanimate environmental surfaces for a contact time of 10 minutes. ****RESIDUAL SELF-SANITIZING ACTIVITY:** This product has been evaluated and found to have residual self-sanitizing activity in 5 minutes on pre-cleaned, hard, nonporous, inanimate environmental surfaces. This residual sanitizing activity is applicable to surfaces that are reasonably expected to become wet under normal conditions such as shower and restroom fixtures. This residual self-sanitizing activity will continue for 5 days or until the surface is rinsed or cleaned.

BENEFITS

- Dispenses a clinging foam even if the can is held upside down.
- Disinfects hard surfaces as it cleans.
- Kills HIV-1 (AIDS) on pre-cleaned environmental surfaces/objects previously soiled with blood/body fluids.
- Kills Herpes Simplex 1 and 2.
- **Residual self-sanitizing activity controls germs on treated surfaces for up to 5 days after use.
- Deodorizes and eliminates all malodors at their source, including odor causing bacteria.
- No CFCs, harsh abrasives, or acids.

PROPERTIES

Abrasives	None
Appearance	White, foaming
Flammability	Nonflammable per CPSC Flame Projection Test
Fragrance	Citrus Bouquet
Net weight	18 ounces
pH	12.0 - 13.0
Residue	Self-sanitizing
Rinsability	Complete
Shelf life	1 year
Spray pattern	Wide, fine foam
Storage stability	120°F maximum
ACTIVE INGREDIENTS:	
n-Alkyl (C ₁₂ , 60%, C ₁₄ , 30%, C ₁₆ , 5%, C ₁₈ , 5%) dimethyl benzyl ammonium chlorides	0.1%
n-Alkyl (C ₁₂ , 68%, C ₁₄ , 32%) dimethyl ethylbenzyl ammonium chlorides	0.1%

SAFETY

Keep out of reach of children. For institutional and commercial use. Causes eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. **PHYSICAL AND CHEMICAL HAZARDS:** Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting. **STATEMENT OF PRACTICAL TREATMENT:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

AUTHORIZATION

Registered with the Environmental Protection Agency. Authorization by the USDA for use in federally inspected meat and poultry plants. Classification C-1 for compounds for use on all surfaces in inedible product processing areas, nonprocessing areas, and /or exterior areas.

Authorized Betco Distributor:

AVAILABLE IN

Case/12 - 18 oz. Aerosols: #08723

Better Solutions Come From...



1001 Brown Avenue • P.O. Box 3127 • Toledo, Ohio 43607-0127

©All Rights Reserved 12/98 • Reorder #08792 • email@betco.com • www.betco.com